

Endocrine Abnormalities in Autism

Richard Lathe

Biomedical Sciences, University of Edinburgh, Edinburgh EH8 9XD, UK and Pieta Research,
PO Box 27069, Edinburgh EH10 5YW

Correspondence to: Dr. R. Lathe,
Pieta Research
PO Box 27069
Edinburgh EH10 5YW
rlathe@pieta-research.org.
+44 131 466 8311

Abstract

Autism is an early onset disorder characterized by language delay, socio-emotional deficits, and repetitive behavior, often accompanied by anxiety. The neuroendocrine abnormalities of autism, less well known, are disturbances of the brain-adrenal, -gonadal and -gut axes, accompanied by immunological and gastrointestinal dysfunction. Subtle changes are seen in the regulation of cortisol, oxytocin and androgens. Brain abnormalities are most consistently in the hippocampus and amygdala, limbic regions implicated in central control of body physiology. Impaired immunity predisposes to infection, particularly in the gastrointestinal tract, that can feed back to the limbic brain to exacerbate behavioural and systemic problems. Remedial therapy of physiological impairments including infection is likely to improve outcome.

[This document has been extended and updated in a Monograph: Autism, Brain and Environment, Jessica Kingsley Publishers, London and Philadelphia.](#)